

# ABT #6



Oil Pattern Distance: **42 Feet**  
 Forward Oil Total: **12 mL**  
 Forward Boards Crossed: **240 Boards**

Reverse Brush Drop: **40 Feet**  
 Reverse Oil Total: **12.75 mL**  
 Reverse Boards Crossed: **255 Boards**

Oil Per Board: **50 uL**  
 Volume Oil Total: **24.75 mL**  
 Total Boards Crossed: **495 Boards**


Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	2	10	74	0.0	1.4	1.4	3700
2	5L 5R	1	10	31	1.4	2.8	1.4	1550
3	6L 6R	2	14	58	2.8	6.7	3.9	2900
4	7L 7R	2	18	54	6.7	11.8	5.1	2700
5	9L 9R	1	18	23	11.8	14.3	2.5	1150
6	2L 2R	0	22	0	14.3	42.0	27.7	0

Conditioner: Type In or Select One  
 TransferType: Type In or Select One


Forward  
 Reverse  
 More

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	0	30	0	42.0	34.0	-8.0	0
2	11L 11R	1	22	19	34.0	30.9	-3.1	950
3	10L 10R	1	22	21	30.9	27.8	-3.1	1050
4	9L 9R	1	22	23	27.8	24.7	-3.1	1150
5	7L 7R	1	22	27	24.7	21.6	-3.1	1350
6	6L 6R	1	22	29	21.6	18.5	-3.1	1450
7	5L 5R	1	18	31	18.5	16.0	-2.5	1550
8	4L 4R	1	18	33	16.0	13.5	-2.5	1650
9	3L 3R	1	18	35	13.5	11.0	-2.5	1750
10	2L 2R	1	18	37	11.0	8.5	-2.5	1850
11	2L 2R	0	14	0	8.5	0.0	-8.5	0

Forward  
 Reverse  
 More



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	2.18	1.09	1	1	1.09	2.18



# Kegel Sport Series - AUTOBAHN - 2542 (50 uL)



**Oil Pattern Distance:** 42 Feet      **Reverse Brush Drop:** 42 Feet      **Oil Per Board:** 50 uL  
**Forward Oil Total:** 18.7 mL      **Reverse Oil Total:** 7.15 mL      **Volume Oil Total:** 25.85 mL  
**Forward Boards Crossed:** 374 Boards      **Reverse Boards Crossed:** 143 Boards      **Total Boards Crossed:** 517 Boards


Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	5	14	185	0.0	7.9	7.9	9250
2	6L 6R	1	14	29	7.9	9.8	1.9	1450
3	9L 9R	2	14	46	9.8	13.7	3.9	2300
4	9L 9R	2	18	46	13.7	18.8	5.1	2300
5	12L 12R	4	18	68	18.8	29.0	10.2	3400
6	2L 2R	0	18	0	29.0	34.0	5.0	0
7	2L 2R	0	22	0	34.0	42.0	8.0	0

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	0	30	0	42.0	21.0	-21.0	0
2	12L 12R	1	18	17	21.0	18.5	-2.5	850
3	9L 9R	1	18	23	18.5	16.0	-2.5	1150
4	6L 6R	1	18	29	16.0	13.5	-2.5	1450
5	2L 2R	2	18	74	13.5	8.4	-5.1	3700
6	2L 2R	0	14	0	8.4	0.0	-8.4	0

Conditioner:  
Type In or Select One


TransferType:  
Type In or Select One

- Forward
- Reverse
- Combined
- Buff



<p> Reverse Drop Brush at 33&#39;. Download PDF for full description.</p>

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	2.44	1.36	1	1	1.36	2.44




<b>Oil Pattern Distance</b>	<b>42</b>	<b>Reverse Brush Drop</b>	<b>36</b>	<b>Oil Per Board</b>	<b>Multi ul</b>
<b>Forward Oil Total</b>	<b>16.357 mL</b>	<b>Reverse Oil Total</b>	<b>8.56 mL</b>	<b>Volume Oil Total</b>	<b>24.917 mL</b>
<b>Tank Configuration</b>	<b>ALT</b>	<b>Tank A Conditioner</b>	<b>ICE</b>	<b>Tank B Conditioner</b>	<b>ICE</b>

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	7	43	14	3	259	0.0	11.9	11.9	11137
2	8L	8R	1	45	18	3	25	11.9	14.4	2.5	1125
3	9L	9R	1	45	18	3	23	14.4	16.9	2.5	1035
4	10L	10R	1	45	18	3	21	16.9	19.4	2.5	945
5	11L	11R	1	45	18	3	19	19.4	21.9	2.5	855
6	13L	13R	1	45	18	3	15	21.9	24.4	2.5	675
7	14L	14R	1	45	18	3	13	24.4	26.9	2.5	585
8	2L	2R	0	45	18	3	0	26.9	30.0	3.1	0
9	2L	2R	0	45	26	3	0	30.0	35.0	5.0	0
10	2L	2R	0	45	26	2	0	35.0	42.0	7.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	40	30	2	0	42.0	32.0	-10.0	0
2	12L	12R	1	40	26	3	17	32.0	28.4	-3.6	680
3	10L	10R	1	40	22	3	21	28.4	25.3	-3.1	840
4	9L	9R	1	40	22	3	23	25.3	22.2	-3.1	920
5	8L	8R	1	40	22	3	25	22.2	19.1	-3.1	1000
6	7L	7R	2	40	18	4	54	19.1	14.0	-5.1	2160
7	2L	2R	2	40	18	4	74	14.0	8.9	-5.1	2960
8	2L	2R	0	40	18	4	0	8.9	0.0	-8.9	0

Cleaner Ratio Main Mix                    5:1  
 Cleaner Ratio Back End Mix            5:1  
 Cleaner Ratio Back End Distance      59  
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50  
 Ice conditioner Defense-C cleaner mixed at 5:1



Item	3L-7L:16L-18R	8L-12L:16L-18R	13L-17L:18L-18R	18L-18R:17R-13R	16L-16R:12R-8R	18L-18R:7R-3R
Description	Outside Track/Middle	Middle Track/Middle	Inside Track/Middle	Middle/Inside Track	Middle/Middle Track	Middle/Outside Track
Track Zone Ratio	2.24	1.29	1.01	1.01	1.29	2.24

